

# Device Modeling Report

COMPONENTS: TRANSISTOR  
PART NUMBER: QST6TR  
MANUFACTURER: ROHM





Bee Technologies Inc.

## TRANSISTOR MODEL


PSpice model parameter	Model description
IS	Saturation Current
BF	Ideal Maximum Forward Beta
NF	Forward Current Emission Coefficient
VAF	Forward Early Voltage
IKF	Forward Beta Roll-off Knee Current
ISE	Non-ideal Base-Emitter Diode Saturation Current
NE	Non-ideal Base-Emitter Diode Emission Coefficient
BR	Ideal Maximum Reverse Beta
NR	Reverse Emission Coefficient
VAR	Reverse Early Voltage
IKR	Reverse Beta Roll-off Knee Current
ISC	Non-ideal Base-Collector Diode Saturation Current
NC	Non-ideal Base-Collector Diode Emission Coefficient
NK	Forward Beta Roll-off Slope Exponent
RE	Emitter Resistance
RB	Base Resistance
RC	Series Collector Resistance
CJE	Zero-bias Emitter-Base Junction Capacitance
VJE	Emitter-Base Junction Potential
MJE	Emitter-Base Junction Grading Coefficient
CJC	Zero-bias Collector-Base Junction Capacitance
VJC	Collector-base Junction Potential
MJC	Collector-base Junction Grading Coefficient
FC	Coefficient for Onset of Forward-bias Depletion Capacitance
TF	Forward Transit Time
XTF	Coefficient for TF Dependency on Vce
VTF	Voltage for TF Dependency on Vce
ITF	Current for TF Dependency on Ic
PTF	Excess Phase at $f=1/2\pi*TF$
TR	Reverse Transit Time
EG	Activation Energy
XTB	Forward Beta Temperature Coefficient
XTI	Temperature Coefficient for IS

Reverse

## Reverse Early Voltage Characteristic





## Reverse DC Beta Characteristic ( $I_e$ vs. $h_{FE}$ )




Forward


## Forward Early Voltage Characteristic



## C-B Capacitance Characteristics




## E-B Capacitance Characteristics




## Transistor $h_{FE}$ - $I_C$ Characteristics

Circuit Simulation Result




Evaluation Circuit



## Comparison Graph

Circuit Simulation Result




Simulation Result


Ic(A)	hFE		Error(%)
	Measurement	Simulation	
-0.001	580.000	576.389	-0.623
-0.002	580.000	574.400	-0.966
-0.005	575.000	570.656	-0.755
-0.010	565.000	566.327	0.235
-0.020	560.000	559.402	-0.107
-0.050	535.000	542.453	1.393
-0.100	514.000	519.397	1.050
-0.200	480.000	483.618	0.754
-0.500	430.000	415.761	-3.311
-1.000	365.000	353.960	-3.025
-2.000	290.000	290.079	0.027

## **V<sub>CE(Sat)</sub>-I<sub>C</sub> Characteristics**

### **Circuit Simulation Result**




### **Evaluation Circuit**



## Comparison Graph

Circuit Simulation Result




Simulation Result


IC(A)	VCE(sat)(V)		Error(%)
	Measurement	Simulation	
-0.001	-0.0043	-0.0044	1.1628
-0.002	-0.0045	-0.0046	1.1111
-0.005	-0.0050	-0.0051	1.8000
-0.010	0.0058	-0.0059	1.2069
-0.020	-0.0071	-0.0073	2.2535
-0.050	-0.0110	-0.0108	-1.4545
-0.100	-0.0165	-0.0162	-1.8182
-0.200	-0.0270	-0.0262	-2.9630
-0.500	-0.0565	-0.0547	-3.2389
-1.000	-0.1000	-0.1006	0.6000
-2.000	-0.1850	-0.1911	3.2757

## $V_{BE(Sat)}$ - $I_C$ Characteristics

Circuit Simulation Result




Evaluation Circuit



## Comparison Graph

Circuit Simulation Result




Simulation Result


IC(A)	VBE(sat)(V)		Error(%)
	Measurement	Simulation	
-0.001	-0.780	-0.768	-1.538
-0.002	-0.785	-0.786	0.106
-0.005	-0.795	-0.809	1.761
-0.010	-0.815	-0.827	1.472
-0.020	-0.825	-0.846	2.545
-0.050	-0.850	-0.871	2.471
-0.100	-0.870	-0.890	2.299
-0.200	-0.890	-0.909	2.135
-0.500	-0.910	-0.938	3.077
-1.000	-0.930	-0.962	3.441
-2.000	-0.960	-0.992	3.302

## Switching Characteristics

Circuit simulation result



Evaluation circuit




Simulation result

	Measurement	Simulation	%Error
$t_f$ (ns)	10.000	10.321	3.210
$t_{stg}$ (ns)	160.000	158.118	-1.176

## Switching Characteristics

Reference




## F<sub>t</sub> - I<sub>C</sub> Characteristics

Circuit Simulation Result



Evaluation Circuit




Simulation Result


IC(A)	FT(MHz)		Error(%)
	Measurement	Simulation	
-0.200	405.000	399.480	-1.363

## Output Characteristics

Circuit Simulation Result



Evaluation Circuit



## Output Characteristics

## Reference

