

Device Modeling Report


COMPONENTS : CMOS DIGITAL INTEGRATED CIRCUIT
PART NUMBER : TC7W02FK
MANUFACTURER : TOSHIBA




Bee Technologies Inc.

Truth Table

Circuit simulation result



Evaluation circuit




Comparison table


Input		Output		%Error
An	Bn	Yn (Measurement)	Yn (Simulation)	
L	L	H	H	0

Truth Table

Circuit simulation result



Evaluation circuit




Comparison table


Input		Output		%Error
An	Bn	Yn (Measurement)	Yn (Simulation)	
L	H	L	L	0

Truth Table

Circuit simulation result



Evaluation circuit




Comparison table


Input		Output		%Error
An	Bn	Yn (Measurement)	Yn (Simulation)	
H	L	L	L	0

Truth Table

Circuit simulation result



Evaluation circuit




Comparison table


Input		Output		%Error
An	Bn	Yn (Measurement)	Yn (Simulation)	
H	H	L	L	0

High Level and Low Level Input Voltage

Circuit simulation result



Evaluation circuit




Comparison table


V_{CC} = 4.5V	Measurement	Simulation	%Error
V_{IH} (V)	3.15	3.1507	0.022
V_{IL} (V)	1.35	1.3452	-0.356

High Level and Low Level Output Voltage

Circuit simulation result



Evaluation circuit




Comparison table


V _{CC} = 4.5V	Measurement	Simulation	%Error
V _{OH} (V)	4.5	4.4975	-0.056
V _{OL} (V)	0	0	0

Propagation Delay Time

Circuit simulation result



Evaluation circuit



Comparison table

$C_L=15\text{pF}, V_{CC} = 5\text{V}$	Measurement	Simulation	%Error
$t_{TLH} \text{ (ns)}$	4	4.0835	2.088
$t_{THL} \text{ (ns)}$	4	4.0476	1.190
$T_{pLH} \text{ (ns)}$	6	6.0554	0.923
$T_{pHL} \text{ (ns)}$	6	6.0706	1.177